



| | Max ava | Võimsus 100rpm korral (kW) | Väände- moment (Nm) | Max pöörlemis- kiirus (RPM) |
|--------|---------|-------------------------------------|---------------------------|--------------------------------------|
| HRC-70 | 32.0 | 0.330 | 31.5 | 7700 |
| HRC-90 | 42.0 | 0.838 | 80.0 | 6300 |
| HRC110 | 55.0 | 1.675 | 160.0 | 5000 |
| HRC130 | 60.0 | 3.298 | 315.0 | 4100 |
| HRC150 | 70.0 | 6.283 | 600.0 | 3600 |
| HRC180 | 80.0 | 9.948 | 950.0 | 3000 |
| HRC230 | 100.0 | 20.942 | 2000.0 | 2600 |
| HRC280 | 115.0 | 32.984 | 3150.0 | 2200 |



| | AVA diam. | | KOONUS- PUKS | A | C | | D | E | B* | | |
|--------|-----------|-------|-----------------|-------|------------|--------|-------|------|------------------|---------------|------------|
| | Mn | Max | | | Type F & H | Type B | | | Type FF,FH,HH | Type FB,HB | Type BB |
| HRC-70 | 8.0 | 32.0 | 1008 | 69.0 | 23.5 | 23.5 | 60.0 | 18.0 | 65.0 | 65.0 | 65.0 |
| HRC-90 | 8.0 | 42.0 | 1108 | 85.0 | 23.5 | 30.0 | 70.0 | 22.5 | 69.5 | 76.0 | 82.5 |
| HRC110 | 8.0 | 55.0 | 1610 | 112.0 | 26.5 | 45.0 | 100.0 | 29.0 | 82.0 | 100.5 | 119.0 |
| HRC130 | 36.0 | 60.0 | 1610 | 130.0 | 26.5 | 47.5 | 105.0 | 36.0 | 89.0 | 110.0 | 131.0 |
| HRC150 | 40.0 | 70.0 | 2012 | 150.0 | 33.5 | 56.0 | 115.0 | 40.0 | 107.0 | 129.5 | 152.0 |
| HRC180 | 46.0 | 80.0 | 2517 | 180.0 | 46.5 | 70.0 | 125.0 | 49.0 | 142.0 | 165.5 | 189.0 |
| HRC230 | 52.0 | 100.0 | 3020 | 225.0 | 52.5 | 90.0 | 155.0 | 59.5 | 164.5 | 202.0 | 239.5 |
| HRC280 | 60.0 | 115.0 | 3525 | 275.0 | 66.5 | 105.5 | 206.0 | 74.5 | 207.5 | 246.5 | 285.5 |